Index of Authors

	PAGES
Agius, L.	689–692
Agutter, P. S.	371–378
Anthony, C.	237–239
Arbuckle, T.	545–549
Archbold, G. P. R.	161–174
Ashcroft. S. J. H.	219–229
Atryzek, V.	25–35
Attie, A. D.	647–654
Auf dem Brinke, D.	273–279
Azhar, S.	201–211
Baird, G. D.	281–289
Barritt, G. J.	291–295
Barwick, J. L.	621–630
Basner, R.	413–419
Benedetti, A.	303–312
Benito, M.	137–144
Bennett, F.A.	153–160
Ben-Yoseph. Y.	501–505
Berridge, M. J.	655–661
Bethell, D. R.	87–94
Bonnett, R.	45–50
Bouma, J. M. W.	1–9
Bridges, B. J.	523–531
Brindle, K. M.	37–44
Brindley, D. N.	195–199, 441–443
Brown, F. F.	37–44
Burditt, S. L.	195–199
Camakaris, J.	597–604, 605–612, 613–619
Campbell, I. D.	37–44
Casini, A. F.	303–312
Cerniglia, C. E.	175–185
Christodoulides, L.	319–326, 327–337
Clark, D. G.	631–638
Clark, M. G.	631–638
Claverie, N.	507–513
Collard, J. G.	213–218
Comporti, M.	303–312
Cooling, J.	195–199, 441–443
Corti, A.	515–522
Cox, G. B.	103–109, 111–118
Cremer, J. E.	677–679
Cunningham, V. J.	677–679
Dadák, V.	69–73
Dahl, J. L.	423–426
Danks, D. M.	597–604, 605–612, 613–619
Danzin, C.	507–513
Dawson, R. M. C.	559–565
Dean, R. T.	339–345
De Matteis, F.	241–244
Denton, R. M.	523–531, 533–544
De Wildt, A.	213–218
Diebler, M. F.	297–301
Dieringer, C. S.	313–318
Dighe, R. R.	573–578
Downie, J. A.	103–109, 111–118
Droppa, M.	253–256
Dye, E. S.	145–152
Edgell, N. J.	523–531
Edwards, W.	11–24
Eker, A. P. M.	213–218
Enser, M.	551–558
Evans, E. H.	253–256
Fain, J. N.	655–661
Farrington, C. L.	161–174
Fausto, N.	25–35
Fayle, D. R. H.	103–109, 111–118
Ferguson, S. J.	75–85
Ferrali, M.	303–312
Fiddler, M. B.	501–505
Filsell, O. H.	631–638
Freedman, M. L.	257–263
Freeze, H. H.	647–654
Furneaux, H. M.	455–463
Gale, J. S.	11–24
Gibbs, A. H.	241–244
Gibson, D. T.	175–185, 639–645
Gibson, F.	103–109, 111–118
Gieselmann, V.	413–419
Girard, J. R.	689–692
Golden, S.	389–402
Grant, M. E.	435–436
Grathwohl, C.	37–44
Green, A.	365–370
Gregory, R. P. F.	253–256
Grime, D. W.	559–565
Grove, J.	507–513
Gruber, M.	1–9
Guzelian, P. S.	621–630
Haggarty, A. J.	347–353
Harvey, J. W.	631–638
Harwood, J. M.	119–127
Hauser, P.	249–251
Hawkins, M.	515–522
Heimberg, M.	265–271
Hemminki, S. M.	491–500
Hems, R.	685–688
Herberg, L.	233–236
Herzberg, M.	379–387
Herzog, J.	431–433
Hesch, R.-D.	273–279
Hoffstein, S. T.	257–263
Horner, A. A.	587–596
Horváth, G.	253–256
Howard, P. H., Jr.	669–672
Hughes, B. P.	291–295
Ibrahim, N. G.	257–263
Inoue, N.	471–480
Jackson, D. S.	435–436
Jänne, O. A.	491–500
Jarrett, I. G.	631–638
Jones, O. T. G.	75–85
Jung, M. J.	507–513
Kato, T.	471–480
Katz, J.	389–402
Keevil, C. W.	237–239
Kell, D. B.	75–85
Ketterer, B.	319–326, 327–337
Kings, M.	665–668
Kinne, R.	465–470
Kita, E.	313–318
Klečka, G. M.	639–645
Knox, A. M.	441–443
Koch-Weser, J.	507–513
Köhrle, J.	273–279
Kooistra, T.	1–9
Kopu, H. T.	491–500
Krebs, H. A.	685–688
Kuchel, P. W.	37–44
Lake, C. M.	455–463
Lamartiniere, C. A.	313–318
Langman, L.	103–109
Lappin, S. A.	161–174
Lavau, M.	431–433
Lazier, C. B.	347–353
Limas, C. J.	59–67
Lindsay, D. B.	559–565
Liu, S.-L. H.	187–193
Lloyd, J. B.	567–571
Lomax, M. A.	281–289
Lucier, G. W.	313–318
Mallinson, C. B.	281–289
Malpress, F. H.	161–174
Mann, J. R.	597–604, 605–612, 613–619
Mateen, B.	45–50
Matschinsky, F. M.	145–152
McCaldin, B.	371–378
McCole, N.	437–439
McCormack, J. G.	533–544
McGowan, J.	25–35
McKay, A. M.	161–174
Meisner, H.	681–684
Menon, K. M. J.	201–211
Mikeš, V.	69–73
Milani, A.	355–363
Millward, D. J.	427–429
Minakami, S.	129–135
Montreuil, J.	673–676
Moran, D. M.	665–668
Moran, J. M.	665–668
Morgan, J. C.	175–185
Morot-Gaudry, Y.	297–301
Morrison, A.	455–463
Moudgal, N. R.	573–578
Muralidhar, K.	573–578
Murer, H.	465–470

	PAGES
Nadler, H. L.	501–505
Neat, C. E.	445–448
Neher, R.	355–363
Neill, A. R.	559–565
Newsholme, E. A.	365–370
Nicholls, D. McE.	51–58
Njus, D.	579–585
Noble, J.	403–412
North, M. J.	119–127
Northrop, A. J.	559–565
Oliver I. T.	153–160, 545–549
Ono, T.	471–480
Osmundsen, H.	445–448
Owen, M. J.	11–24
Palmer, D. N.	437–439
Pawson, S.	195–199
Pearson, C. K.	455–463
Pegg, A. E.	87–94, 515–522
Pierce, R. J.	673–676
Pittman, R. C.	647–654
Podesta, E. J.	355–363
Poole, G. P.	523–531
Porteous, J. W.	455–463
Pratten, M. K.	567–571
Pritchard, P. H.	195–199
Radda, G. K.	579–585
Renold, A. E.	233–236
Robinson, A. M.	689–692
Rousson, R.	501–505
Roy, P. D.	665–668
Rozen, R.	245–248
Sainsbury, G. M.	685–688
Saleem, M.	51–58
Schreiber, J. B.	449–453
Scriver, C. R.	245–248
Selanik, P.	681–684
Senior, A. E.	103–109, 111–118
Shah, H. N.	45–50
Sharp, G. W. G.	233–236
Siegel, E. G.	233–236
Sinke, J.	1–9
Sjoerdsma, A.	507–513
Sledge, C. B.	403–412
Smith, M. J.	449–453
Snoswell, A. M.	559–565
Soler-Argilaga, C.	265–271
Sorgato, M. C.	75–85
Speake, B. K.	481–489
Spik, G.	673–676
Stanworth, D. R.	665–668
Steffen, H.	355–363
Steinberg, D.	647–654
Steinberg, J.	403–412
Stirrat, C. R.	403–412
Stoll, R.	465–470
Stubbs, M.	685–688
Sturton, R. G.	195–199, 441–443
Sugden, M. C.	219–229
Sugden, P. H.	219–229
Susini, C.	431–433
Symonds, H. W.	281–289
Takeshige, K.	129–135
Tenenhouse, H. S.	245–248
Tephly, T. R.	241–244
Tipping, E.	319–326, 327–337
Torkkeli, T. K.	491–500
Turner, R.	119–127
Ullrich, K.	413–419
Vaes, G.	249–251
Vernie, L. N.	213–218
von Figura, K.	413–419
Voorheis, H. P.	11–24
Walliczek, E. G.	605–612
Wals, P. A.	389–402
Webb, T. E.	187–193
Weibel, V. J.	423–426
Weinstein, D. B.	647–654
Weinstein, I.	265–271
Werner, H. V.	265–271
White, D. A.	481–489
Whitelaw, E.	137–144
Wilders, I. T.	213–218
Williams, D. J.	437–439
Williams, R. A. D.	45–50
Williams-Ashman, H. G.	515–522
Williamson, D. H.	137–144, 689–692
Wilson, J.	515–522
Wilson, S. B.	669–672
Woessner, J. F., Jr.	95–102
Wolf, G.	449–453
Wollheim, C. B.	233–236
Wreschner, D. H.	379–387
Yeoh, G. C. T.	153–160, 545–549
Young, E.	587–596
Zawalich, W. S.	145–152

Index of Subjects

2-Acetamidofluorene, binding of, and other uncharged molecules to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Acetyl-coenzyme A synthetase, electric-organ, *Torpedo marmorata*, subcellular location and effects of ions on the activity of (Morot-Gaudry, Y. & Diebler, M.-F.) 297–301

N-Acetylglucosamine, effects of tunicamycin on the incorporation of mannose and, into glycoproteins by lactating rabbit mammary-gland explants (Speake, B. K. & White, D. A.) 481–489

N-Acetylglucosamine, metabolism and insulin-releasing capabilities of glucosamine and, in isolated rat islets of Langerhans (Zawalich, W. S., Dye, E. S. & Matschinsky, F. M.) 145–152

α-*N*-Acetylglucosaminidase, urine, human, involvement of receptors specific for galactose, mannose 6-phosphate and mannose residues in the recognition and subsequent endocytosis of, by isolated rat hepatocytes (Ullrich, K., Basner, R., Gieselmann, V. & von Figura, K.) 413–419

β-*N*-Acetylglucosaminidase, endo-, subcellular location of, in the cytosol of rat liver and kidney (Pierce, R. J., Spik, G. & Montreuil, J.) 673–676

Adenine nucleotides, effects of calcium ions and, on the activity of pig heart 2-oxoglutarate dehydrogenase complex (McCormack, J. G. & Denton, R. M.) 533–544

Adenosine 3′:5′-cyclic monophosphate, intracellular, regulatory role of cyclic nucleotide phosphodiesterase(s) in the turnover of, and the gonadotropin-stimulated production of progesterone in isolated rat ovary cells (Azhar, S. & Menon, K. M. J.) 201–211

Adenosine 3′:5′-cyclic monophosphate, receptor-bound, correlation of corticotropin-induced steroidogenesis with the concentration of, in isolated rat adrenal-gland-cortex cells (Podesta, E. J., Milani, A., Steffen, H. & Neher, R.) 355–363

Adenosine 3′:5′-cyclic monophosphate, role of, in the regulation of ketogenesis in rat hepatocytes isolated during the suckling–weanling transition (Benito, M., Whitelaw, E. & Williamson, D. H.) 137–144

Adenosine triphosphatase, membrane, *Escherichia coli* K12, evidence from mutant strains that the *uncA* gene codes for (Senior, A. E., Downie, J. A., Cox, G. B., Gibson, F., Langman, L. & Fayle, D. R. H.) 103–109

Adenosine triphosphatase, membrane, *Escherichia coli* K12, properties of the membranes of mutant strains in which the *β*-subunit of, is abnormal (Senior, A. E., Fayle, D. R. H., Downie J. A., Gibson, F. & Cox, G. B.) 111–118

S-Adenosylmethionine, decarboxylation of, by detergent-treated extracts of rat liver (Wilson, J., Corti, A., Hawkins, M., Williams-Ashman, H. G. & Pegg, A. E.) 515–522

Adipocytes, white, epididymal, rat, isolated, effects of 3-hydroxybutyrate and lactate on the sensitivity towards insulin of the uptake of glucose and of lipolysis in (Green, A. & Newsholme, E. A.) 365–370

Adipose tissue, epididymal, insulin-resistant, rat, responsiveness to adrenaline of the metabolism of glucose in, from animals fed on a high-fat diet (Susini, C., Lavau, M. & Herzog, J.) 431–433

Adipose tissue, epididymal, mouse, role of insulin in the regulation of the activity of stearate desaturase in, and liver of obese–hyperglycaemic and lean animals (Enser, M.) 551–558

Adipose tissue, epididymal, rat, regulation by insulin the activity of pyruvate kinase in (Denton, R. M., Edgell, N. J., Bridges, B. J. & Poole, G. P.) 523–531

Adipose tissue, rat, possible role of prolactin in the regulation of lipogenesis in, and liver during lactation (Agius, L., Robinson, A. M., Girard, J. R. & Williamson, D. H.) 689–692

Adrenal-gland-cortex cells, rat, isolated, correlation of corticotropin-induced steroidogenesis with the concentration of receptor-bound adenosine 3′:5′-cyclic monophosphate in (Podesta, E. J., Milani, A., Steffen, H. & Neher, R.) 355–363

Adrenal-gland medulla, ox, uptake of adrenaline by chromaffin-granule 'ghosts' from, in response to a diffusion potential produced by the addition of potassium ions (Njus, D. & Radda, G. K.) 579–585

Adrenaline, responsiveness to, of the metabolism of glucose in insulin-resistant epididymal adipose tissue from rats fed on a high-fat diet (Susini, C., Lavau, M. & Herzog, J.) 431–433

Adrenaline, uptake of, by ox adrenal-gland-medulla chromaffin-granule 'ghosts' in response to a diffusion potential produced by the addition of potassium ions (Njus, D. & Radda, G. K.) 579–585

Adrenocorticotropin, *see* Corticotropin

Alanine, use of spin-echo nuclear magnetic resonance to study the transport of lactate and, across the human erythrocyte membrane (Brindle, K. M., Brown, F. F., Campbell, I. D., Grathwohl, C. & Kuchel, P. W.) 37–44

Aminoazo-dye-binding protein A, liver, rat, binding of organic anions to egg phosphatidylcholine and its relevance to the binding of the same compounds by, and ligandin (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337

Aminoazo-dye-binding protein A, liver, rat, binding of uncharged molecules to egg phosphatidylcholine and its relevance to the binding of the same compounds by, and ligandin (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Androgens, effects of administration of oestrogens and, on the sexual differentiation of the activity of microsomal uridine diphosphate glucuronyltransferase in rat liver during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318

Arthritis, rheumatoid, human, release of proteoglycans by ox nasal-septum cartilage cultivated in the presence of human and rabbit synovium from arthritic animals and its relevance to (Steinberg, J., Sledge, C. B., Noble, J. & Stirrat, C. R.) 403–412

Bacteroides melaninogenicus, differences in the proportions of porphyrin derivatives in the pigmentation of various subspecies of (Shah, H. N., Bonnett, R., Mateen, B. & Williams, R. A. D.) 45–50

Beijerinckia sp., oxidation of dibenzofuran by *Cunninghamella elegans* and (Cerniglia, C. E., Morgan, J. C. & Gibson, D. T.) 175–180
Bilirubin, binding of, and other organic anions to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337
Blood, cow, effects of lactation on the rate of secretion of insulin by the pancreas and the concentration of insulin in (Lomax, M. A., Baird, G. D., Mallinson, C. B. & Symonds, H. W.) 281–289
Blood, rat, diurnal variations in the concentrations of insulin and corticosterone in, and the activity of phosphatidate phosphatase in liver (Knox, A. M., Sturton, R. G., Cooling, J. & Brindley, D. N.) 441–443
Blood, rat, effects of chlorinated sugar derivatives on the transport of glucose from, into the brain (Cremer, J. E. & Cunningham, V. J.) 677–679
Blowfly (*Calliphora erythrocephala*), relationship between biosynthesis of phosphatidylinositol and recovery of 5-hydroxytryptamine-stimulated transport of calcium ions in salivary gland from (Fain, J. N. & Berridge, M. J.) 655–661
Bone marrow, rabbit, production by antigen- or mitogen-provoked rabbit spleen cells of factors that stimulate the secretion by macrophages from, of a neutral proteinase degrading cartilage proteoglycans (Hauser, P. & Vaes, G.) 249–251
Brain cortex, guinea-pig, ligation and biosynthesis of chromatin deoxyribonucleic acid in neuronal and glial nuclei isolated from, and in isolated guinea-pig liver nuclei (Inoue, N., Ono, T. & Kato, T.) 471–480
Brain, rat, decreased rates of degradation of protein in, during postnatal development (Dahl, J. L. & Weibel, V. J.) 423–426
Brain, rat, effects of chlorinated sugar derivatives on the transport of glucose into, from the blood (Cremer, J. E. & Cunningham, V. J.) 677–679
Brassica napus, *see* Turnip
Bromosulphophthalein, binding of, and other organic anions to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337
Brush border, kidney-cortex, rat, transport of taurine by membrane vesicles from (Rozen, R., Tenenhouse, H. S. & Scriver, C. R.) 245–248
Brush-border vesicles, kidney, rat, isolated, effect of dietary phosphate content on the transport of inorganic phosphate by (Stoll, R., Kinne, R. & Murer, H.) 465–470
Bundle-sheath cells, maize-leaf, comparison based on delayed light emission and fluorescence induction of intact chloroplasts isolated from, and mesophyll protoplasts (Gregory, R. P. F., Droppa, M., Horváth, G. & Evans, E. H.) 253–256

Calcium ions, defective handling of, and release of insulin by isolated diabetic Chinese-hamster islets of Langerhans (Siegel, E. G., Wollheim, C. B., Sharp, G. W. G., Herberg, L. & Renold, A. E.) 233–236
Calcium ions, effects of adenine nucleotides and, on the activity of pig heart 2-oxoglutarate dehydrogenase complex (McCormack, J. G. & Denton, R. M.) 533–544
Calcium ions, evidence consistent with a proposed cycle of changes in a single fixed-charge molecule in the mitochondrial inner membrane that mediates both the first step in the utilization of the protonmotive force and the uptake of (Archbold, G. P. R., Farrington, C. L., Lappin, S. A., McKay, A. M. & Malpress, F. H.) 161–174
Calcium ions, interaction between glucocorticoids and glucagon in the hormonal modification of the retention of, by isolated rat liver mitochondria (Hughes, B. P. & Barritt, G. J.) 291–295
Calcium ions, relationship between biosynthesis of phosphatidylinositol and recovery of 5-hydroxytryptamine-stimulated transport of, in blowfly salivary gland (Fain, J. N. & Berridge, M. J.) 655–661
Calliphora erythrocephala, *see* Blowfly
Carotenoids, comparison of the uptake of permeant thiocyanate ions and the spectroscopic red-band shift of, as methods for the determination of the membrane potential in *Rhodopseudomonas sphaeroides* (Ferguson, S. J., Jones, O. T. G., Kell, D. B. & Sorgato, M. C.) 75–85
Cartilage cells, chick-embryo, re-examination of the subcellular fractionation of, and tendon cells (Grant, M. E. & Jackson, D. S.) 435–436
Cartilage, nasal-septum, ox, release of proteoglycans by, cultivated in the presence of human and rabbit synovium from arthritic animals and its relevance to human rheumatoid arthritis (Steinberg, J., Sledge, C. B., Noble, J. & Stirrat, C. R.) 403–412
Cartilage, production by antigen- or mitogen-provoked rabbit spleen cells of factors that stimulate the secretion by rabbit bone-marrow macrophages of a neutral proteinase degrading proteoglycans from (Hauser, P. & Vaes, G.) 249–251
Castration, effects of the administration of α-difluoromethylornithine on the induction by testosterone of the regeneration of the ventral prostate gland and seminal vesicles in the rat after (Danzin, C., Jung, M. J., Claverie, N., Grove, J., Sjoerdsma, A. & Koch-Weser, J.) 507–513
Catecholamine-storage-vesicle 'ghosts', adrenal-gland-medulla, ox, uptake of adrenaline by, in response to a diffusion potential produced by the addition of potassions (Njus, D. & Radda, G. K.) 579–585
Cerebral cortex, guinea-pig, ligation and biosynthesis of chromatin deoxyribonucleic acid in neuronal and glial nuclei isolated from, and in isolated guinea-pig liver nuclei (Inoue, N., Ono, T. & Kato, T.) 471–480
Chick embryo, re-examination of the subcellular fractionation of tendon and cartilage cells from (Grant, M. E. & Jackson, D. S.) 435–436
6-Chloro-6-deoxyglucose, effect of, and other chlorinated sugar derivatives on the transport of glucose from blood into the brain in the rat (Cremer, J. E. & Cunningham, V. J.) 677–679
Chloroplasts, intact, comparison based on delayed light emission and fluorescence induction of, isolated from maize-leaf mesophyll protoplasts and bundle-sheath cells (Gregory, R. P. F., Droppa, M., Horváth, G. & Evans, E. H.) 253–256
Choline, dietary, rapid degradation of, in sheep rumen and its consequent low availability for nutrition (Neill, A. R., Grime, D. W., Snoswell, A. M., Northrop, A. J., Lindsay, D. B. & Dawson, R. M. C.) 559–565

Choriogonadotropin, human, inhibition by the β-subunit of, of the stimulation by lutropin of the biosynthesis of progesterone by rat ovary *in vitro* (Dighe, R. R., Muralidhar, K. & Moudgal, N. R.) 573–578
Chromaffin-granule 'ghosts', adrenal-gland-medulla, ox, uptake of adrenaline by, in response to a diffusion potential produced by the addition of potassium ions (Njus, D. & Radda, G. K.) 579–585
Chromatin, ligation and biosynthesis of deoxyribonucleic acid of, in isolated guinea-pig neuronal, glial and liver nuclei (Inoue, N., Ono, T. & Kato, T.) 471–480
Chromatophores, *Rhodopseudomonas sphaeroides*, comparison of the uptake of permeant thiocyanate ions and the spectroscopic red-band shift of carotenoids as methods for the determination of the membrane potential in (Ferguson, S. J., Jones, O. T. G., Kell, D. B. & Sorgato, M. C.) 75–85
Collagen, effect of oestradiol-17β on the breakdown of, during post-partum involution of rat uterus (Woessner, J. F., Jr.) 95–102
Collagenase, total, latent and active, effect of oestradiol-17β on the concentrations of, during post-partum involution of rat uterus (Woessner, J. F., Jr) 95–102
Copper, concentrations of, in various tissues of mottled mutants of the mouse during perinatal development and their relevance to Menkes's syndrome in the human (Camakaris, J., Mann, J. R. & Danks, D. M.) 597–604
Copper, cuprous and cupric, effects of therapy with, on mottled mutants of the mouse and their relevance to Menkes's syndrome in the human (Mann, J. R., Camakaris, J., Danks, D. M. & Walliczek, E. G.) 605–612
Copper, distribution of, in various tissues of mottled mutants of the mouse and its relevance to Menkes's syndrome in the human (Mann, J. R., Camakaris, J. & Danks, D. M.) 613–619
Cordycepin, *see* 3′-Deoxyadenosine
Corticosterone, correlation of corticotropin-induced biosynthesis of, with the concentration of receptor-bound adenosine 3′:5′-cyclic monophosphate in isolated rat adrenal-gland-cortex cells (Podesta, E. J., Milani, A., Steffen, H. & Neher, R.) 355–363
Corticosterone, diurnal variations in the concentrations of insulin and, in rat blood and the activity of phosphatidate phosphatase in liver (Knox, A. M., Sturton, R. G., Cooling, J. & Brindley, D. N.) 441–443
Corticosterone, effects of administration of glucose, sorbitol, fructose, glycerol and ethanol on the concentration of, in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199
Corticotropin, correlation of steroidogenesis induced by, with the concentration of receptor-bound adenosine 3′:5′-cyclic monophosphate in isolated rat adrenal-gland-cortex cells (Podesta, E. J., Milani, A., Steffen, H. & Neher, R.) 355–363
Cunninghamella elegans, oxidation of dibenzofuran by *Beijerinckia* sp. and (Cerniglia, C. E., Morgan, J. C. & Gibson, D. T.) 175–180
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cyclic nucleotide phosphodiesterase(s), regulatory role of, in the turnover of intracellular adenosine 3′:5′-cyclic monophosphate and the gonadotropin-stimulated production of progesterone in isolated rat ovary cells (Azhar, S. & Menon, K. M. J.) 201–211
Cycloheximide, inhibition by, of the degradation of cytochrome *P*-450 in cultured rat hepatocytes and in rat liver *in vivo* (Guzelian, P. S. & Barwick, J. L.) 621–630
Cytochrome *P*-450, inhibition by cycloheximide of the degradation of, in cultured rat hepatocytes and in rat liver *in vivo* (Guzelian, P. S. & Barwick, J. L.) 621–630
Cytochromes *b*, two, presence of, in *Pseudomonas* AM1 (Keevil, C. W. & Anthony, C.) 237–239
Cytosol, liver and kidney, rat, subcellular location of endo-β-*N*-acetylglucosaminidase in (Pierce, R. J., Spik, G. & Montreuil, J.) 673–676
Cytosol, liver, cockerel, properties of a high-affinity oestrogen-binding protein from (Lazier, C. B. & Haggarty, A. J.) 347–353

3′-Deoxyadenosine, inhibition by, of the efflux of messenger ribonucleic acid from nuclei isolated from simian-virus-40-transformed mouse-embryo 3T3 fibroblasts (Agutter, P. S. & McCaldin, B.) 371–378
Deoxyribonucleic acid, chromatin, ligation and biosynthesis of, in isolated guinea-pig neuronal, glial and liver nuclei (Inoue, N., Ono, T. & Kato, T.) 471–480
Deoxyribonucleic acid, effects of deprivation of dietary protein on the biosynthesis of, and regeneration of rat liver after partial hepatectomy (McGowan, J., Atryzek, V. & Fausto, N.) 25–35
Deoxyribonucleic acid polymerase-α, myocardial, heart, rat, neonatal, selective stimulation by the administration of 3,3′,5′-tri-iodothyronine of the activity of (Limas, C. J.) 59–67
Deoxyribonucleic acid, selective stimulation by the administration of 3,3′,5′-tri-iodothyronine of the biosynthesis of, in neonatal rat heart myocardial cells (Limas, C. J.) 59–67
Development, neonatal, effects of administration of testosterone and diethylstilboestrol on the sexual differentiation of the activity of microsomal uridine diphosphate glucuronyltransferase in rat liver during (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318
Development, perinatal, appearance of tyrosine aminotransferase during differentiation of rat hepatocytes during (Yeoh, G. C. T., Bennett, F. A. & Oliver, I. T.) 153–160
Development, perinatal, concentrations of copper in various tissues of mottled mutants of the mouse during, and their relevance to Menkes's syndrome in the human (Camakaris, J., Mann, J. R. & Danks, D. M.) 597–604
Development, postnatal, decreased rates of degradation of protein in rat brain during (Dahl, J. L. & Weibel, V. J.) 423–426
Development, postnatal, regulation of ketogenesis in rat hepatocytes isolated during the suckling–weanling transition stage of (Benito, M., Whitelaw, E. & Williamson, D. H.) 137–144
Dexamethasone, induction of the activity of tyrosine aminotransferase in hepatocytes cultured from rat foetuses treated with, *in utero* (Yeoh, G. C. T., Arbuckle, T. & Oliver, I. T.) 545–549

Dexamethasone, interaction between glucagon and, in the hormonal modification of the retention of calcium ions by isolated rat liver mitochondria (Hughes, B. P. & Barritt, G. J.) 291–295

Dexamethasone-receptor proteins, liver, rat, heterogeneity and properties of (Liu, S.-L. H. & Webb, T. E.) 187–193

Diabetes, defective handling of calcium ions and release of insulin by isolated islets of Langerhans from Chinese hamsters with (Siegel, E. G., Wollheim, C. B., Sharp, G. W. G., Herberg, L. & Renold, A. E.) 233–236

Diamines, effects of, on the activity of ornithine decarboxylase in control and virally transformed mouse-embryo 3T3 fibroblasts (Bethell, D. R. & Pegg, A. E.) 87–94

Dibenzo[1,4]furan, metabolism of, by *Pseudomonas* sp. N.C.I.B. 9816 (Klečka, G. M. & Gibson, D. T.) 639–645

Dibenzofuran, oxidation of, by *Cunninghamella elegans* and *Beijerinckia* sp. (Cerniglia, C. E., Morgan, J. C. & Gibson, D. T.) 175–180

Dictyostelium discoideum A.T.C.C. 24397, uptake of putrescine by (Turner, R., North, M. J. & Harwood, J. M.) 119–127

Diet, effect of phosphate content of, on the transport of inorganic phosphate by isolated rat kidney brush-border vesicles (Stoll, R., Kinne, R. & Murer, H.) 465–470

Diet, high-fat, responsiveness to adrenaline of the metabolism of glucose in insulin-resistant epididymal adipose tissue from rats fed on (Susini, C., Lavau, M. & Herzog, J.) 431–433

Diet, protein-free, effects of, on the regeneration of rat liver after partial hepatectomy (McGowan, J., Atryzek, V. & Fausto, N.) 25–35

Diet, rapid degradation of choline in, in sheep rumen and its consequent low availability for nutrition (Neill, A. R., Grime, D. W., Snoswell, A. M., Northrop, A. J., Lindsay, D. B. & Dawson, R. M. C.) 559–565

3,5-Diethoxycarbonyl-1,4-dihydrocollidine, role of a porphyrin-like inhibitor of protohaem ferro-lyase in mouse and rat liver in experimental porphyria produced by the administration of (Tephly, T. R., Gibbs, A. H. & De Matteis, F.) 241–244

Diethylstilboestrol, effects of administration of testosterone and, on the sexual differentiation of the activity of microsomal uridine diphosphate glucuronyltransferase in rat liver during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318

α-Difluoromethylornithine, effects of the administration of, on the induction by testosterone of the regeneration of the ventral prostate gland and seminal vesicles in the rat after castration (Danzin, C., Jung, M. J., Claverie, N., Grove, J., Sjoerdsma, A. & Koch-Weser, J.) 507–513

2,3-Dihydro-2,3-dihydroxydibenzofuran, identification of the *cis*- and *trans*-isomers of, as metabolites of dibenzofuran in *Beijerinckia* sp. and *Cunninghamella elegans* respectively (Cerniglia, C. E., Morgan, J. C. & Gibson, D. T.) 175–180

4-Dimethylaminoazobenzene, binding of, and other uncharged molecules to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

2,4-Dinitrophenol, effects of, and other factors on fluid-phase and adsorptive pinocytosis by rat peritoneal macrophages (Pratten, M. K. & Lloyd, J. B.) 567–571

3,3′-Dipropylthiocarbocyanine, effects of, on energy conservation by turnip mitochondria (Howard, P. H., Jr. & Wilson, S. B.) 669–672

Egg, chicken, binding of 2-acetamidofluorene, 4-dimethylaminoazobenzene, oestrone and testosterone to phosphatidylcholine from (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Egg, chicken, binding of bromosulphophthalein, oestrone sulphate, haem and bilirubin to phosphatidylcholine from (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337

Electric organ, *Torpedo marmorata*, subcellular localization and effects of ions on the activity of acetylcoenzyme A synthetase in (Morot-Gaudry, Y. & Diebler, M.-F.) 297–301

Endo-β-*N*-acetylglucosaminidase, subcellular location of, in the cytosol of rat liver and kidney (Pierce, R. J., Spik, G. & Montreuil, J.) 673–676

Epididymis, mouse, role of insulin in the regulation of the activity of stearate desaturase in adipose tissue of, and liver of obese–hyperglycaemic and lean animals (Enser, M.) 551–558

Epididymis, rat, effects of 3-hydroxybutyrate and lactate on the sensitivity towards insulin of the uptake of glucose and of lipolysis in white adipocytes isolated from (Green, A. & Newsholme, E. A.) 365–370

Epididymis, rat, regulation by insulin of the activity of pyruvate kinase in adipose tissue of (Denton, R. M., Edgell, N. J., Bridges, B. J. & Poole, G. P.) 523–531

Epididymis, rat, responsiveness to adrenaline of the metabolism of glucose in insulin-resistant adipose tissue from, of animals fed on a high-fat diet (Susini, C., Lavau, M. & Herzog, J.) 431–433

Epinephrine, *see* Adrenaline

Epithelial cells, small-intestinal, guinea-pig, dividing and non-dividing but differentiating, activity of poly(adenosine diphosphate ribose) synthetase in nuclei from (Porteous, J. W., Furneaux, H. M., Pearson, C. K., Lake, C. M. & Morrison, A.) 455–463

Erythrocytes, human, use of spin-echo nuclear magnetic resonance to study the transport of alanine and lactate across the membrane of (Brindle, K. M., Brown, F. F., Campbell, I. D., Grathwohl, C. & Kuchel, P. W.) 37–44

Erythrocytes, rat, effects of products of peroxidation of rat liver microsomal lipids on, and other cellular structures (Benedetti, A., Casini, A. F., Ferrali, M. & Comporti, M.) 303–312

Escherichia coli, inhibition by selenodiglutathione of the biosynthesis of protein by mouse-embryo 3T3-f fibroblasts and (Vernie, L. N., Collard, J. G., Eker, A. P. M., De Wildt, A. & Wilders, I. T.) 213–218

Escherichia coli K12, evidence from mutant strains that the *uncA* gene codes for the α-subunit of the membrane adenosine triphosphatase of (Senior, A. E., Downie, J. A., Cox, G. B., Gibson, F., Langman, L. & Fayle, D. R. H.) 103–109

Escherichia coli K12, properties of membranes from mutant strains of, in which the β-subunit of the adenosine triphosphatase is abnormal (Senior, A. E., Fayle, D. R. H., Downie, J. A., Gibson, F. & Cox, G. B.) 111–118

Estradiol, *see* Oestradiol

Estrogens, *see* Oestrogens

Estrone, *see* Oestrone

Ethanol, effects of administration of glucose, sorbitol, fructose, glycerol and, on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Ethynyloestradiol, effects of administration of, on the metabolism of oleate by perfused liver and isolated hepatocytes from female rats (Weinstein, I., Soler-Argilaga, C., Werner, H. V. & Heimberg, M.) 265–271

Fat-cells, white, epididymal, rat, isolated, effects of 3-hydroxybutyrate and lactate on the sensitivity towards insulin of the uptake of glucose and of lipolysis in (Green, A. & Newsholme, E. A.) 365–370

Ferritin, accumulation of particles similar to, in liver lysosomes of rats chronically overloaded with iron by injections of iron–dextran (Ibrahim, N. G., Hoffstein, S. T. & Freedman, M. L.) 257–263

Fibroblasts, skin, human, use of titration with lectins to demonstrate the alteration of molecules of lysosomal hydrolases in, from patients with I-cell disease (Rousson, R., Ben-Yoseph, Y., Fiddler, M. B. & Nadler, H. L.) 501–505

Fibroblasts, 3T3, mouse-embryo, control and virally transformed, effects of diamines on the activity of ornithine decarboxylase in (Bethell, D. R. & Pegg, A. E.) 87–94

Fibroblasts, 3T3, mouse-embryo, simian-virus-40-transformed, inhbition by 3′-deoxyadenosine of the efflux of messenger ribonucleic acid from nuclei isolated from (Agutter, P. S. & McCaldin, B.) 371–378

Fibroblasts, 3T3-f, mouse-embryo, inhibition by selenodiglutathione of the biosynthesis of protein by *Escherichia coli* and (Vernie, L. N., Collard, J. G., Eker, A. P. M., De Wildt, A. & Wilders, I. T.) 213–218

Fluoride, effects of, and other factors on fluid-phase and adsorptive pinocytosis by rat peritoneal macrophages (Pratten, M. K. & Lloyd, J. B.) 567–571

Fructose, effects of administration of glucose, sorbitol, glycerol, ethanol and, on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Gene, *uncA*, *Escherichia coli* K12, evidence from mutant strains that, codes for the α-subunit of the membrane adenosine triphosphatase (Senior, A. E., Downie, J. A., Cox, G. B., Gibson, F., Langman, L. & Fayle, D. R. H.) 103–109

6-Geranyl-7-hydroxycoumarin (ostruthin), effect of, on the interaction of lipophilic quinones with fragments of membranes from *Paracoccus denitrificans* N.C.I.B. 8944 and *Staphylococcus epidermidis* (Mikeš, V. & Dadák, V.) 69–73

Glucagon, interaction between glucocorticoids and, in the hormonal modification of the retention of calcium ions by isolated rat liver mitochondria (Hughes, B. P. & Barritt, G. J.) 291–295

Glucocorticoid-receptor proteins, liver, rat, heterogeneity and properties of (Liu, S.-L. H. & Webb, T. E.) 187–193

Glucocorticoids, effects of administration of glucose, sorbitol, fructose, glycerol and ethanol on the concentration of, in serum and their subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Glucocorticoids, interaction between glucagon and, in the hormonal modification of the retention of calcium ions by isolated rat liver mitochondria (Hughes, B. P. & Barritt, G. J.) 291–295

Gluconeogenesis, inhibition by administration of ochratoxin A of, in rat kidney cortex (Meisner, H. & Selanik, P.) 681–684

Glucosamine, metabolism and insulin-releasing capabilities of *N*-acetylglucosamine in isolated rat islets of Langerhans (Zawalich, W. S., Dye, E. S. & Matschinsky, F. M.) 145–152

Glucose, effects of administration of sorbitol, fructose, glycerol, ethanol and, on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Glucose, effects of chlorinated sugar derivatives on the transport of, from blood into the brain in the rat (Cremer, J. E. & Cunningham, V. J.) 677–679

Glucose, effects of 3-hydroxybutyrate and lactate on the sensitivity towards insulin of the uptake of, and of lipolysis in isolated rat epididymal white adipocytes (Green, A. & Newsholme, E. A.) 365–370

Glucose, relationship between the metabolism of, and the secretion of insulin by the pancreas and the concentration of insulin in the blood of the cow during lactation (Lomax, M. A., Baird, G. D., Mallinson, C. B. & Symonds, H. W.) 281–289

Glucose, responsiveness to adrenaline of the metabolism of, in insulin-resistant epididymal adipose tissue from rats fed on a high-fat diet (Susini, C., Lavau, M. & Herzog, J.) 431–433

Glutamine, stimulation by, of the biosynthesis of glycogen by isolated rat hepatocytes (Katz, J., Golden, S. & Wals, P. A.) 389–402

Glycerol, effects of administration of glucose, sorbitol, fructose, ethanol and, on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Glycogen, biosynthesis of, by isolated rat hepatocytes (Katz, J., Golden, S. & Wals, P. A.) 389–402
Glycoproteins, effects of tunicamycin on the incorporation of mannose and *N*-acetylglucosamine into, by lactating rabbit mammary-gland explants (Speake, B. K. & White, D. A.) 481–489
Gonadotropin, chorio-, human, inhibition by the β-subunit of, of the stimulation by lutropin of the biosynthesis of progesterone by rat ovary *in vitro* (Dighe, R. R., Muralidhar, K. & Moudgal, N. R.) 573–578
Gonadotropin, regulatory role of cyclic nucleotide phosphodiesterase(s) in the turnover of intracellular adenosine 3′:5′-cyclic monophosphate and the stimulation by, of the production of progesterone in isolated rat ovary cells (Azhar, S. & Menon, K. M. J.) 201–211
Guanosine diphosphate mannose, subcellular distribution of the rat liver enzyme catalysing the formation of mannosyl retinyl phosphate from retinyl phosphate and (Smith, M. J., Schreiber, J. B. & Wolf, G.) 449–453

Haem, binding of, and other organic anions to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337
Haem oxygenase, induction of the activity of, in liver of rats chronically overloaded with iron by injections of iron–dextran (Ibrahim, N. G., Hoffstein, S. T. & Freedman, M. L.) 257–263
Heart, ox, reduced nicotinamide-adenine dinucleotide (phosphate)-dependent formation of superoxide ions by submitochondrial particles from, and the preparation of reduced nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase (Takeshige, K. & Minakami, S.) 129–135
Heart, pig, effects of calcium ions and adenine nucleotides on the activity of 2-oxoglutarate dehydrogenase complex from (McCormack, J. G. & Denton, R. M.) 533–544
Heart, rat, neonatal, selective stimulation by the administration of 3,3′,5′-tri-iodothyronine of the activity of myocardial deoxyribonucleic acid polymerase-α of (Limas, C. J.) 59–67
Heat, application of microcalorimetry to assessment of the relationship between metabolic efficiency and the output of, in isolated rat hepatocytes (Jarrett, I. G., Clark, D. G., Filsell, O. H., Harvey, J. W. & Clark, M. G.) 631–638
Heavy chain, immunoglobulin E, human, synthesis of peptides comprising the amino acid sequences of, that are capable of induction of the release of histamine by rat peritoneal mast cells (Stanworth, D. R., Kings, M., Roy, P. D., Moran, J. M. & Moran, D. M.) 665–668
Heparin (macromolecular) depolymerase, small-intestinal, rat, assay and partial characterization of the activity of (Young, E. & Horner, A. A.) 587–596
Hepatectomy, partial, effects of deprivation of dietary protein on the regeneration of rat liver after (McGowan, J., Atryzek, V. & Fausto, N.) 25–35
Hepatocytes, rat, cultured, inhibition by cycloheximide of the degradation of cytochrome *P*-450 in, and in rat liver *in vivo* (Guzelian, P. S. & Barwick, J. L.) 621–630
Hepatocytes, rat, cultured, unaltered catabolism of desialylated low-density lipoproteins in, and in the pig *in vivo* (Attie, A. D., Weinstein, D. B., Freeze, H. H., Pittman, R. C. & Steinberg, D.) 647–654
Hepatocytes, rat, induction of the activity of tyrosine aminotransferase in, cultured from foetuses treated with dexamethasone *in utero* (Yeoh, G. C. T., Arbuckle, T. & Oliver, I. T.) 545–549
Hepatocytes, rat, isolated, appearance of tyrosine aminotransferase during differentiation of, obtained during perinatal development (Yeoh, G. C. T., Bennett, F. A. & Oliver, I. T.) 153–160
Hepatocytes, rat, isolated, application of microcalorimetry to assessment of metabolic efficiency in (Jarrett, I. G., Clark, D. G., Filsell, O. H., Harvey, J. W. & Clark, M. G.) 631–638
Hepatocytes, rat, isolated, biosynthesis of glycogen by (Katz, J., Golden, S. & Wals, P. A.) 389–402
Hepatocytes, rat, isolated, effects of administration of ethynyloestradiol on the metabolism of oleate by, and by perfused liver from female animals (Weinstein, I., Soler-Argilaga, C., Werner, H. V. & Heimberg, M.) 265–271
Hepatocytes, rat, isolated, involvement of receptors specific for galactose, mannose 6-phosphate and mannose residues in the recognition and subsequent endocytosis of human urine α-*N*-acetylglucosaminidase by (Ullrich, K., Basner, R., Gieselmann, V. & von Figura, K.) 413–419
Hepatocytes, rat, isolated, loss of cell constituents from, on centrifugation (Sainsbury, G. M., Stubbs, M., Hems, R. & Krebs, H. A.) 685–688
Hepatocytes, rat, isolated, regulation of ketogenesis in, obtained during the suckling–weanling transition (Benito, M., Whitelaw, E. & Williamson, D. H.) 137–144
Histamine, synthesis of peptides comprising the amino acid sequences of human immunoglobulin E heavy chain that are capable of the release of, by rat peritoneal mast cells (Stanworth, D. R., Kings, M., Roy, P. D., Moran, J. M. & Moran, D. M.) 665–668
Hydrolases, lysosomal, skin-fibroblast, human, use of titration with lectins to demonstrate the alteration of molecules of, from patients with I-cell disease (Rousson, R., Ben-Yoseph, Y., Fiddler, M. B. & Nadler, H. L.) 501–505
3-Hydroxybutyrate, effects of lactate and, on the sensitivity towards insulin of the uptake of glucose and of lipolysis in isolated rat epididymal white adipocytes (Green, A. & Newsholme, E. A.) 365–370
5-Hydroxytryptamine, relationship between biosynthesis of phosphatidylinositol and recovery of transport of calcium ions stimulated by, in blowfly salivary gland (Fain, J. N. & Berridge, M. J.) 655–661

I-cell disease (mucolipidosis II), use of titration with lectins to demonstrate the alteration of molecules of lysosomal hydrolases in skin fibroblasts from human patients with (Rousson, R., Ben-Yoseph, Y., Fiddler, M. B. & Nadler, H. L.) 501–505

Immunoglobulin E, human, synthesis of peptides comprising the amino acid sequences of heavy chain of, that are capable of induction of the release of histamine by rat peritoneal mast cells (Stanworth, D. R., Kings, M., Roy, P. D., Moran, J. M. & Moran, D. M.) 665–668
Inorganic phosphate, *see* Phosphate, inorganic
Insulin, defective handling of calcium ions and release of, by isolated diabetic Chinese-hamster islets of Langerhans (Siegel, E. G., Wollheim, C. B., Sharp, G. W. G., Herberg, L. & Renold, A. E.) 233–236
Insulin, diurnal variations in the concentrations of corticosterone and, in rat blood and the activity of phosphatidate phosphatase in liver (Knox, A. M., Sturton, R. G., Cooling, J. & Brindley, D. N.) 441–443
Insulin, effects of 3-hydroxybutyrate and lactate on the sensitivity towards, of the uptake of glucose and of lipolysis in isolated rat epididymal white adipocytes (Green, A. & Newsholme, E. A.) 365–370
Insulin, effects of lactation on the rate of secretion of, by cow pancreas and its concentration in the blood (Lomax, M. A., Baird, G. D., Mallinson, C. B. & Symonds, H. W.) 281–289
Insulin, regulation by, of the activity of pyruvate kinase in rat epididymal adipose tissue (Denton, R. M., Edgell, N. J., Bridges, B. J. & Poole, G. P.) 523–531
Insulin, role of, in the regulation of the activity of stearate desaturase in liver and epididymal adipose tissue of obese–hyperglycaemic and lean mice (Enser, M.) 551–558
Insulin, stimulation by glucosamine and *N*-acetylglucosamine of the secretion of, by isolated rat islets of Langerhans (Zawalich, W. S., Dye, E. S. & Matschinsky, F. M.) 145–152
Intestine, small, guinea-pig, activity of poly(adenosine diphosphate ribose) synthetase in nuclei from dividing and from non-dividing but differentiating epithelial cells of (Porteous, J. W., Furneaux, H. M., Pearson, C. K., Lake, C. M. & Morrison, A.) 455–463
Intestine, small, rat, assay and partial characterization of the activity of macromolecular heparin depolymerase of (Young, E. & Horner, A. A.) 587–596
Iron, induction of the activity of haem oxygenase in liver of rats chronically overloaded with, by injection of iron–dextran (Ibrahim, N. G., Hoffstein, S. T. & Freedman, M. L.) 257–263
Islets of Langerhans, pancreatic, Chinese-hamster, diabetic, isolated, defective handling of calcium ions and release of insulin by (Siegel, E. G., Wollheim, C. B., Sharp, G. W. G., Herberg, L. & Renold, A. E.) 233–236
Islets of Langerhans, pancreatic, rat, isolated, metabolism and insulin-releasing capabilities of glucosamine and *N*-acetylglucosamine in (Zawalich, W. S., Dye, E. S. & Matschinsky, F. M.) 145–152
Islets of Langerhans, pancreatic, rat, properties of protein kinases present in (Sugden, M. C., Ashcroft, S. J. H. & Sugden, P. H.) 219–229

Ketogenesis, regulation of, in rat hepatocytes isolated during the suckling–weanling transition (Benito, M., Whitelaw, E. & Williamson, D. H.) 137–144
Kidney cortex, rat, inhibition by administration of ochratoxin A of gluconeogenesis in (Meisner, H. & Selanik, P.) 681–684
Kidney cortex, rat, transport of taurine by brush-border membrane vesicles from (Rozen, R., Tenenhouse, H. S. & Scriver, C. R.) 245–248
Kidney, rat, effect of dietary phosphate content on the transport of inorganic phosphate by brush-border vesicles isolated from (Stoll, R., Kinne, R. & Murer, H.) 465–470
Kidney, rat, subcellular location of endo-β-*N*-acetylglucosaminidase in the cytosol of, and liver (Pierce, R. J., Spik, G. & Montreuil, J.) 673–676

Lactate dehydrogenase isoenzyme M_4, pig, ^{125}I-labelled, endocytosis and breakdown of, by rat liver and spleen *in vivo* (Sinke, J., Bouma, J. M. W., Kooistra, T. & Gruber, M.) 1–9
Lactate, effects of 3-hydroxybutyrate and, on the sensitivity towards insulin of the uptake of glucose and of lipolysis in isolated rat epididymal white adipocytes (Green, A. & Newsholme, E. A.) 365–370
Lactate, use of spin-echo nuclear magnetic resonance to study the transport of alanine and, across the human erythrocyte membrane (Brindle, K. M., Brown, F. F., Campbell, I. D., Grathwohl, C. & Kuchel, P. W.) 37–44
Lactation, effects of, on the rate of secretion of insulin by cow pancreas and its concentration in the blood (Lomax, M. A., Baird, G. D., Mallinson, C. B. & Symonds, H. W.) 281–289
Lactation, effects of tunicamycin on the incorporation of mannose and *N*-acetylglucosamine into glycoproteins by rabbit mammary-gland explants obtained during (Speake, B. K. & White, D. A.) 481–489
Lactation, possible role of prolactin in the regulation of lipogenesis in rat liver and adipose tissue during (Agius, L., Robinson, A. M., Girard, J. R. & Williamson, D. H.) 689–692
Leaves, maize, comparison based on delayed light emission and fluorescence induction of intact chloroplasts isolated from mesophyll protoplasts and bundle-sheath cells of (Gregory, R. P. F., Droppa, M., Horváth, G. & Evans, E. H.) 253–256
Lecithin, *see* Phosphatidylcholine
Lectins, use of titration with, to demonstrate the alteration of molecules of lysosomal hydrolases in skin fibroblasts from human patients with I-cell disease (Rousson, R., Ben-Yoseph, Y., Fiddler, M. B. & Nadler, H. L.) 501–505
Leucine, inhibition by selenoglutathione of the incorporation of, into protein by mouse-embryo 3T3-f fibroblasts and *Escherichia coli* (Vernie, L. N., Collard, J. G., Eker, A. P. M., De Wildt, A. & Wilders, I. T.) 213–218
Ligandin, liver, rat, binding of organic anions to egg phosphatidylcholine and its relevance to the binding of the same compounds by, and aminoazo-dye-binding protein A (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337
Ligandin, liver, rat, binding of uncharged molecules to egg phosphatidylcholine and its relevance to the binding of the same compounds by, and aminoazo-dye-binding protein A (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Linoleate, role of insulin in the regulation of the formation of, catalysed by stearate desaturase in liver and epididymal adipose tissue of obese–hyperglycaemic and lean mice (Enser, M.) 551–558

Lipids, microsomal, liver, rat, effects of products of peroxidation of, on rat erythrocytes and other cellular structures (Benedetti, A., Casini, A. F., Ferrali, M. & Comporti, M.) 303–312

Lipogenesis, possible role of prolactin in the regulation of, in rat liver and adipose tissue during lactation (Agius, L., Robinson, A. M., Girard, J. R. & Williamson, D. H.) 689–692

Lipolysis, effects of 3-hydroxybutyrate and lactate on the sensitivity towards insulin of the uptake of glucose and of, in isolated rat epididymal white adipocytes (Green, A. & Newsholme, E. A.) 365–370

Lipoproteins, low-density, desialylated, unaltered catabolism of, in cultured rat hepatocytes and in the pig *in vivo* (Attie, A. D., Weinstein, D. B., Freeze, H. H., Pittman, R. C. & Steinberg, D.) 647–654

Liver cells, rat, cultured, inhibition by cycloheximide of the degradation of cytochrome *P*-450 in, and in rat liver (Guzelian, P. S. & Barwick, J. L.) 621–630

Liver cells, rat, cultured, unaltered catabolism of desialylated low-density lipoproteins in, and in the pig *in vivo* (Attie, A. D., Weinstein, D. B., Freeze, H. H., Pittman, R. C. & Steinberg, D.) 647–654

Liver cells, rat, induction of the activity of tyrosine aminotransferase in, cultured from foetuses treated with dexamethasone *in utero* (Yeoh, G. C. T., Arbuckle, T. & Oliver, I. T.) 545–549

Liver cells, rat, isolated, appearance of tyrosine aminotransferase during differentiation of, obtained during perinatal development (Yeoh, G. C. T., Bennett, F. A. & Oliver, I. T.) 153–160

Liver cells, rat, isolated, application of microcalorimetry to assessment of metabolic efficiency in (Jarrett, I. G., Clark, D. G., Filsell, O. H., Harvey, J. W. & Clark, M. G.) 631–638

Liver cells, rat, isolated, biosynthesis of glycogen by (Katz, J., Golden, S. & Wals, P. A.) 389–402

Liver cells, rat, isolated, effects of administration of ethynyloestradiol on the metabolism of oleate by, and by perfused liver from female animals (Weinstein, I., Soler-Argilaga, C., Werner, H. V. & Heimberg, M.) 265–271

Liver cells, rat, isolated, involvement of receptors specific for galactose, mannose 6-phosphate and mannose residues in the recognition and subsequent endocytosis of human urine α-*N*-acetylglucosaminidase by (Ullrich, K., Basner, R., Gieselmann, V. & von Figura, K.) 413–419

Liver cells, rat, isolated, loss of cell constituents from, on centrifugation (Sainsbury, G. M., Stubbs, M., Hems, R. & Krebs, H. A.) 685–688

Liver cells, rat, isolated, regulation of ketogenesis in, obtained during the suckling–weanling transition (Benito, M., Whitelaw, E. & Williamson, D. H.) 137–144

Liver, cockerel, properties of a cytosolic high-affinity oestrogen-binding protein from (Lazier, C. B. & Haggarty, A. J.) 347–353

Liver, guinea-pig, ligation and biosynthesis of chromatin deoxyribonucleic acid in nuclei isolated from, and from guinea-pig cerebral-cortex neurons and glia (Inoue, N., Ono, T. & Kato, T.) 471–480

Liver, mouse and rat, role of a porphyrin-like inhibitor of protohaem ferro-lyase in, in experimental porphyria produced by the administration of 3,5-diethoxycarbonyl-1,4-dihydrocollidine (Tephly, T. R., Gibbs, A. H. & De Matteis, F.) 241–244

Liver, mouse, role of insulin in the regulation of the activity of stearate desaturase in, and epididymal adipose tissue of obese–hyperglycaemic and lean animals (Enser, M.) 551–558

Liver, rat, decarboxylation of *S*-adenosylmethionine by detergent-treated extracts of (Wilson, J., Corti, A., Hawkins, M., Williams-Ashman, H. G. & Pegg, A. E.) 515–522

Liver, rat, deductions from observations of the effects of pulses of oxygen on suspensions of mitochondria isolated from (Archbold, G. P. R., Farrington, C. L., Lappin, S. A., McKay, A. M. & Malpress, F. H.) 161–174

Liver, rat, diurnal variations in the concentrations of insulin and corticosterone in blood and the activity of phosphatidate phosphatase in (Knox, A. M., Sturton, R. G., Cooling, J. & Brindley, D. N.) 441–443

Liver, rat, effects of administration of glucose, sorbitol, fructose, glycerol and ethanol on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis o ftriacylglycerols in (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Liver, rat, effects of administration of testosterone and diethylstilboestrol on the sexual differentiation of the activity of microsomal uridine diphosphate glucuronyltransferase in, during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318

Liver, rat, effects of deprivation of dietary protein on the regeneration of, after partial hepatectomy (McGowan, J., Atryzek, V. & Fausto, N.) 25–35

Liver, rat, effects of products of peroxidation of microsomal lipids from, on rat erythrocytes and other cellular structures (Benedetti, A., Casini, A. F., Ferrali, M. & Comporti, M.) 303–312

Liver, rat, endocytosis and breakdown of ^{125}I-labelled pig lactate dehydrogenase isoenzyme M_4 by, and spleen *in vivo* (Sinke, J., Bouma, J. M. W., Kooistra, T. & Gruber, M.) 1–9

Liver, rat, heterogeneity and properties of dexamethasone-receptor proteins from (Liu, S.-L. H. & Webb, T. E.) 187–193

Liver, rat, induction of the activity of haem oxygenase in, of animals chronically overloaded with iron by injections of iron–dextran (Ibrahim, N. G., Hoffstein, S. T. & Freedman, M. L.) 257–263

Liver, rat, inhibition by cycloheximide of the degradation of cytochrome *P*-450 in cultured rat hepatocytes and in *in vivo* (Guzelian, P. S. & Barwick, J. L.) 621–630

Liver, rat, interaction between glucocorticoids and glucagon in the hormonal modification of the retention of calcium ions by mitochondria isolated from (Hughes, B. P. & Barritt, G. J.) 291–295

Liver, rat, perfused, effects of administration of ethynyloestradiol on the metabolism of oleate by, and by isolated hepatocytes from female animals (Weinstein, I., Soler-Argilaga, C., Werner, H. V. & Heimberg, M.) 265–271

Liver, rat, possible role of prolactin in the regulation of lipogenesis in, and adipose tissue during lactation (Agius, L., Robinson, A. M., Girard, J. R. & Williamson, D. H.) 689–692

Liver, rat, re-examination of the subcellular localization of the 5′-deiodination of thyroxine in the microsomal fraction of (Auf dem Brinke, D., Hesch, R.-D. & Köhrle, J.) 273–279

Liver, rat, separation by gel filtration of microsomal membranes and free polyribosomes from (McCole, N., Palmer, D. N. & Williams, D. J.) 437–439

Liver, rat, subcellular distribution in, of the enzyme catalysing the formation of mannosyl retinyl phosphate from guanosine diphosphate mannose and retinyl phosphate (Smith, M. J., Schreiber, J. B. & Wolf, G.) 449–453

Liver, rat, subcellular location of endo-β-*N*-acetylglucosaminidase in the cytosol of, and kidney (Pierce, R. J., Spik, G. & Montreuil, J.) 673–676

Liver, rat, use of a vertical rotor for the rapid preparation of peroxisomes from (Neat, C. E. & Osmundsen, H.) 445–448

Luteinizing hormone, *see* Lutropin

Lutropin, inhibition by human choriogonadotropin β-subunit of the stimulation by, of the biosynthesis of progesterone by rat ovary *in vitro* (Dighe, R. R., Muralidhar, K. & Moudgal, N. R.) 573–578

Lysosomes, evidence for the involvement of, in the turnover of protein in mouse peritoneal macrophages (Dean, R. T.) 339–345

Lysosomes, liver, accumulation of ferritin-like particles in, of rats chronically overloaded with iron by injections of iron–dextran (Ibrahim, N. G., Hoffstein, S. T. & Freedman, M. L.) 257–263

Lysosomes, skin-fibroblast, human, use of titration with lectins to demonstrate the alteration of molecules of hydrolases of, from patients with I-cell disease (Rousson, R., Ben-Yoseph, Y., Fiddler, M. B. & Nadler, H. L.) 501–505

Macrophages, bone-marrow, rabbit, production by antigen- or mitogen-provoked rabbit spleen cells of factors that stimulate the secretion by, of a neutral proteinase degrading cartilage proteoglycans (Hauser, P. & Vaes, G.) 249–251

Macrophages, peritoneal, mouse, evidence for the involvement of lysosomes in the turnover of protein in (Dean, R. T.) 339–345

Macrophages, peritoneal, rat, effects of temperature, metabolic inhibitors and other factors on fluid-phase and adsorptive pinocytosis by (Pratten, M. K. & Lloyd, J. B.) 567–571

Maize (*Zea mays*) leaves, comparison based on delayed light emission and fluorescence induction of intact chloroplasts isolated from mesophyll protoplasts and bundle-sheath cells of (Gregory, R. P. F., Droppa, M., Horváth, G. & Evans, E. H.) 253–256

Mammary gland, rabbit, lactating, effects of tunicamycin on the incorporation of mannose and *N*-acetylglucosamine into glycoproteins by explants of (Speake, B. K. & White, D. A.) 481–489

Mannose, effects of tunicamycin on the incorporation of *N*-acetylglucosamine and, into glycoproteins by lactating rabbit mammary-gland explants (Speake, B. K. & White, D. A.) 481–489

Mannosyl -etinyl phosphate, subcellular distribution of the rat liver enzyme catalysing the formation of, from guanosine diphosphate mannose and retinyl phosphate (Smith, M. J., Schreiber, J. B. & Wolf, G.) 449–453

Mast cells, peritoneal, rat, synthesis of peptides comprising the amino acid sequences of human immunoglobulin E heavy chain that are capable of induction of the release of histamine by (Stanworth, D. R., Kings, M., Roy, P. D., Moran, J. M. & Moran, D. M.) 665–668

Membrane, erythrocyte, human, use of spin-echo nuclear magnetic resonance to study the transport of alanine and lactate across (Brindle, K. M., Brown, F. F., Campbell, I. D., Grathwohl, C. & Kuchel, P. W.) 37–44

Membrane, *Escherichia coli* K12, evidence from mutant strains that the *uncA* gene codes for the α-subunit of adenosine triphosphatase of (Senior, A. E., Downie, J. A., Cox, G. B., Gibson, F., Langman, L. & Fayle, D. R. H.) 103–109

Membrane, plasma, trypanosome, isolation and partial characterization of (Voorheis, H. P., Gale, J. S., Owen, M. J. & Edwards, W.) 11–24

Membrane potential, comparison of the uptake of permeant thiocyanate ions and the spectroscopic red-band shift of carotenoids as methods for the determination of, in *Rhodopseudomonas sphaeroides* chromatophores (Ferguson, S. J., Jones, O. T. G., Kell, D. B. & Sorgato, M. C.) 75–85

Membrane, reticulocyte, rabbit, extraction from, of an elongation-stage inhibitor of the biosynthesis of protein (Wreschner, D. H. & Herzberg, M.) 379–387

Membrane vesicles, brush-border, kidney-cortex, rat, transport of taurine by (Rozen, R., Tenenhouse, H. S. & Scriver, C. R.) 245–248

Membranes, application of spin-echo nuclear magnetic resonance in studies of the transport of small molecules across, in whole-cell systems (Brindle, K. M., Brown, F. F., Campbell, I. D., Grathwohl, C. & Kuchel, P. W.) 37–44

Membranes, *Escherichia coli* K12, properties of, from mutant strains in which the β-subunit of the adenosine triphosphatase is abnormal (Senior, A. E., Fayle, D. R. H., Downie, J. A., Gibson, F. & Cox, G. B.) 111–118

Membranes, microsomal, liver, rat, separation by gel filtration of, and free polyribosomes (McCole, N., Palmer, D. N. & Williams, D. J.) 437–439

Membranes, *Paracoccus denitrificans* N.C.I.B. 8944 and *Staphylococcus epidermidis*, interaction of lipophilic quinones with fragments of (Mikeš, V. & Dadák, V.) 69–73

Menaquinone, interaction of, with fragments of *Staphylococcus epidermidis* membrane (Mikeš, V. & Dadák, V.) 69–73

Menkes's syndrome, human, concentrations of copper in various tissues of mottled mutants of the mouse during perinatal development and their relevance to (Camakaris, J., Mann, J. R. & Danks, D. M.) 597–604
Menkes's syndrome, human, distribution of copper in various tissues of mottled mutants of the mouse and its relevance to (Mann, J. R., Camakaris, J. & Danks, D. M.) 613–619
Menkes's syndrome, human, effects of therapy with cuprous and cupric copper on mottled mutants of the mouse and their relevance to (Mann, J. R., Camakaris, J., Danks, D. M. & Walliczek, E. G.) 605–612
Mesophyll protoplasts, maize-leaf, comparison based on delayed light emission and fluorescence induction of intact chloroplasts isolated from, and bundle-sheath cells (Gregory, R. P. F., Droppa, M., Horváth, G. & Evans, E. H.) 253–256
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Methane, formation of, from the degradation of dietary choline in sheep rumen (Neill, A. R., Grime, D. W., Snoswell, A. M., Northrop, A. J., Lindsay, D. B. & Dawson, R. M. C.) 559–565
Methylotroph (*Pseudomonas* AM1), presence of two cytochromes *b* in (Keevil, C. W. & Anthony, C.) 237–239
Microsomal fraction, liver, rat, effects of administration of testosterone and diethylstilboestrol on the sexual differentiation of the activity of uridine diphosphate glucuronyltransferase of, during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318
Microsomal fraction, liver, rat, effects of products of peroxidation of lipids of, on rat erythrocytes and other cellular structures (Benedetti, A., Casini, A. F., Ferrali, M. & Comporti, M.) 303–312
Microsomal fraction, liver, rat, re-examination of the subcellular localization of the 5′-deiodination of thyroxine in (Auf dem Brinke, D., Hesch, R.-D. & Köhrle, J.) 273–279
Microsomal fraction, liver, rat, separation by gel filtration of free polyribosomes and membranes from (McCole, N., Palmer, D. N. & Williams, D. J.) 437–439
Microsomal fraction, liver, rat, subcellular localization in, of the enzyme catalysing the formation of mannosyl retinyl phosphate from guanosine diphosphate mannose and retinyl phosphate (Smith, M. J., Schreiber, J. B. & Wolf, G.) 449–453
Mitochondria, electric-organ, *Torpedo marmorata*, subcellular localization and effects of ions on the activity of acetyl-coenzyme A synthetase in, and synaptosomes (Morot-Gaudry, Y. & Diebler, M.-F.) 297–301
Mitochondria, heart, ox, reduced nicotinamide–adenine dinucleotide (phosphate)-dependent formation of superoxide ions by submitochondrial particles from, and the preparation of reduced nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase (Takeshige, K. & Minakami, S.) 129–135
Mitochondria, liver, rat, isolated, deductions from observations of the effects of pulses of oxygen on suspensions of (Archbold, G. P. R., Farrington, C. L., Lappin, S. A., McKay, A. M. & Malpress, F. H.) 161–174
Mitochondria, liver, rat, isolated, interaction between glucocorticoids and glucagon in the hormonal modification of the retention of calcium ions by (Hughes, B. P. & Barritt, G. J.) 291–295
Mitochondria, turnip, effects of 3,3′-dipropylthiocarbocyanine on energy conservation by (Howard, P. H., Jr. & Wilson, S. B.) 669–672
Mucolipidosis II, *see* I-cell disease
Muscle, skeletal, hamster, normal and dystrophic, biosynthesis of protein in (Saleem, M. & Nicholls, D. McE.) 51–58
Muscle, skeletal, rat, effect of surgical trauma on the turnover of protein in (Millward, D. J.) 427–429
Muscular dystrophy, biosynthesis of protein in skeletal muscle from normal hamsters and from hamsters with (Saleem, M. & Nicholls, D. McE.) 51–58
Myocardial cells, heart, rat, neonatal, selective stimulation by the administration of 3,3′,5′-tri-iodothyronine of the activity of deoxyribonucleic acid polymerase-α of (Limas, C. J.) 59–67

Nasal septum, ox, release of proteoglycans by cartilage from, cultivated in the presence of human and rabbit synovium from arthritic animals and its relevance to human rheumatoid arthritis (Steinberg, J., Sledge, C. B., Noble, J. & Stirrat, C. R.) 403–412
Neutral proteinase, *see* Proteinase, neutral
Nicotinamide–adenine dinucleotide (phosphate), reduced, dependence on, of the formation of superoxide ions by ox heart submitochondrial particles and the preparation of reduced nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase (Takeshige, K. & Minakami, S.) 129–135
Nicotinamide–adenine dinucleotide (reduced)–ubiquinone oxidoreductase, mitochondrial, heart, ox, production of superoxide ions by (Takeshige, K. & Minakami, S.) 129–135
Nuclei, inhibition by 3′-deoxyadenosine of the efflux of messenger ribonucleic acid from, isolated from simian-virus-40-transformed mouse-embryo 3T3 fibroblasts (Agutter, P. S. & McCaldin, B.) 371–378
Nuclei, neuronal, glial and liver, guinea-pig, isolated, ligation and biosynthesis of chromatin deoxyribonucleic acid in (Inoue, N., Ono, T. & Kato, T.) 471–480
Nuclei, small-intestinal, guinea-pig, activity of poly(adenosine diphosphate ribose) synthetase in, from dividing and from non-dividing but differentiating epithelial cells of (Porteous, J. W., Furneaux, H. M., Pearson, C. K., Lake, C. M. & Morrison, A.) 455–463

Ochratoxin A, inhibition by administration of, of gluconeogenesis in rat kidney cortex (Meisner, H. & Selanik, P.) 681–684
Oestradiol-17β, effect of, on the concentrations of total, latent and active collagenase during post-partum involution of rat uterus (Woessner, J. F., Jr.) 95–102
Oestradiol-17β, effects of the administration of, and anti-oestrogen on the stimulation by progesterone of the accumulation of messenger ribonucleic acid and the biosynthesis of uteroglobulin in rabbit uterus (Kopu, H. T., Hemminki, S. M., Torkkeli, T. K. & Jänne, O. A.) 491–500

Oestradiol-17β-binding protein, high-affinity, cytosolic, liver, cockerel, properties of (Lazier, C. B. & Haggarty, A. J.) 347–353

Oestrogen-binding protein, high-affinity, cytosolic, liver, cockerel, properties of (Lazier, C. B. & Haggarty, A. J.) 347–353

Oestrogens, effect of administration of, on the metabolism of oleate by perfused liver and isolated hepatocytes from female rats (Weinstein, I., Soler-Argilaga, C., Werner, H. V. & Heimberg, M.) 265–271

Oestrogens, effects of administration of androgens and, on the sexual differentiation of the activity of microsomal uridine diphosphate glucuronyltransferase in rat liver during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318

Oestrogens, effects of the administration of, and anti-oestrogen on the stimulation by progesterone of the accumulation of messenger ribonucleic acid and the biosynthesis of uteroglobulin in rabbit uterus (Kopu, H. T., Hemminki, S. M., Torkkeli, T. K. & Jänne, O. A.) 491–500

Oestrone, binding of, and other uncharged molecules to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Oestrone sulphate, binding of, and other organic anions to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337

Ornithine decarboxylase, effects of diamines on the activity of, in control and virally transformed mouse-embryo 3T3 fibroblasts (Bethell, D. R. & Pegg, A. E.) 87–94

Ostruthin (6-geranyl-7-hydroxycoumarin), effect of, on the interaction of lipophilic quinones with fragments of membranes from *Paracoccus denitrificans* N.C.I.B. 8944 and *Staphylococcus epidermidis* (Mikeš, V. & Dadák, V.) 69–73

Ovary cells, rat, isolated, regulatory role of cyclic nucleotide phosphodiesterase(s) in the turnover of intracellular adenosine 3′:5′-cyclic monophosphate and the gonadotropin-stimulated production of progesterone in (Azhar, S. & Menon, K. M. J.) 201–211

Ovary, rat, inhibition by human choriogonadotropin β-subunit of the stimulation by lutropin of the biosynthesis of progesterone by, *in vitro* (Dighe, R. R., Muralidhar, K. & Moudgal, N. R.) 573–578

Oxidative phosphorylation, *see* Phosphorylation, oxidative

2-Oxoglutarate dehydrogenase complex, heart, pig, effects of calcium ions and adenine nucleotides on the activity of (McCormack, J. G. & Denton, R. M.) 533–544

Oxygen, application of microcalorimetry to assessment of metabolic efficiency in isolated rat hepatocytes as shown by the ratio of uptake of, to heat output (Jarrett, I. G., Clark, D. G., Filsell, O. H., Harvey, J. W. & Clark, M. G.) 631–638

Oxygen, deductions from observations of the effects of pulses of, on suspensions of isolated rat liver mitochondria (Archbold, G. P. R., Farrington, C. L., Lappin, S. A., McKay, A .M. & Malpress, F. H.) 161–174

Pancreas, Chinese-hamster, diabetic, defective handling of calcium ions and release of insulin by islets of Langerhans isolated from (Siegel, E. G., Wollheim, C. B., Sharp, G. W. G., Herberg, L. & Renold, A. E.) 233–236

Pancreas, cow, effects of lactation on the rate of secretion of insulin by, and the concentration of insulin in the blood (Lomax, M. A., Baird, G. D., Mallinson, C. B. & Symonds, H. W.) 281–289

Pancreas, rat, metabolism and insulin-releasing capabilities of glucosamine and *N*-acetylglucosamine in islets of Langerhans isolated from (Zawalich, W. S., Dye, E. S. & Matschinsky, F. M.) 145–152

Pancreas, rat, properties of protein kinases present in islets of Langerhans from (Sugden, M. C., Ashcroft, S. J. H. & Sugden, P. H.) 219–229

Paracoccus denitrificans N.C.I.B. 8944, interaction of lipophilic quinones with fragments of membranes from *Staphylococcus epidermidis* and (Mikeš, V. & Dadák, V.) 69–73

Peptides, synthesis of, comprising the amino acid sequences of human immunoglobulin E heavy chain that are capable of induction of the release of histamine by rat peritoneal mast cells (Stanworth, D. R., Kings, M., Roy, P. D., Moran, J. M. & Moran, D. M.) 665–668

Peroxisomes, liver, rat, use of a vertical rotor for the rapid preparation of (Neat, C. E. & Osmundsen, H.) 445–448

Phenylalanine, incorporation of, into protein in skeletal muscle from normal and dystrophic hamsters (Saleem, M. & Nicholls, D. McE.) 51–58

Phosphate, inorganic, effect of dietary phosphate content on the transport of, by isolated rat kidney brush-border vesicles (Stoll, R., Kinne, R. & Murer, H.) 465–470

Phosphatidate phosphatase, diurnal variations in the concentrations of insulin and corticosterone in rat blood and the activity of, in liver (Knox, A. M., Sturton, R. G., Cooling, J. & Brindley, D. N.) 441–443

Phosphatidate phosphatase, effects of administration of glucose, sorbitol, fructose, glycerol and ethanol on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of, and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Phosphatidylcholine, egg, binding of 2-acetamidofluorene, 4-dimethylaminoazobenzene, oestrone and testosterone to (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Phosphatidylcholine, egg, binding of bromosulphophthalein, oestrone sulphate, haem and bilirubin to (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337

Phosphatidylinositol, relationship between biosynthesis of, and recovery of 5-hydroxytryptamine-stimulated transport of calcium ions in blowfly salivary gland (Fain, J. N. & Berridge, M. J.) 655–661

Phosphodiesterase(s), regulatory role of, in the turnover of intracellular adenosine 3′:5′-cyclic monophosphate and the gonadotropin-stimulated production of progesterone in isolated rat ovary cells (Azhar, S. & Menon, K. M. J.) 201–211

Phosphoenolpyruvate carboxykinase, inhibition by administration of ochratoxin A of the activity of, in rat kidney cortex (Meisner, H. & Selanik, P.) 681–684

Phosphorylation, oxidative, inhibition by 3,3′-dipropylthiocarbocyanine of respiration and, by turnip mitochondria (Howard, P. H., Jr. & Wilson, S. B.) 669–672
Pigmentation, differences in the proportions of porphyrin derivatives in, of various subspecies of *Bacteroides melaninogenicus* (Shah, H. N., Bonnett, R., Mateen, B. & Williams, R. A. D.) 45–50
Pinocytosis, fluid-phase and adsorptive, effects of temperature, metabolic inhibitors and other factors on, by rat peritoneal macrophages (Pratten, M. K. & Lloyd, J. B.) 567–571
Pinocytosis, uptake of putrescine by, by *Dictyostelium discoideum* A.T.C.C. 24397 (Turner, R., North, M. J. & Harwood, J. M.) 119–127
Plasma membrane, *see* Membrane, plasma
Poly(adenosine diphosphate ribose) synthetase, activity of, in nuclei from dividing and from non-dividing but differentiating guinea-pig small-intestinal epithelial cells (Porteous, J. W., Furneaux, H. M., Pearson, C. K., Lake, C. M. & Morrison, A.) 455–463
Polyamines, effects of, on the activity of ornithine decarboxylase in control and virally transformed mouse-embryo 3T3 fibroblasts (Bethell, D. R. & Pegg, A. E.) 87–94
Polyribosomes, free, liver, rat, separation by gel filtration of, and microsomal membranes (McCole, N., Palmer, D. N. & Williams, D. J.) 437–439
Polysomes, *see* Polyribosomes
Porphyria, experimental, role of a porphyrin-like inhibitor of protohaem ferro-lyase in mouse and rat liver in, produced by the administration of 3,5-diethoxycarbonyl-1,4-dihydrocollidine (Tephly, T. R., Gibbs, A. H. & De Matteis, F.) 241–244
Porphyrin, differences in the proportions of derivatives of, in the pigmentation of various subspecies of *Bacteroides melaninogenicus* (Shah, H. N., Bonnett, R., Mateen, B. & Williams, R. A. D.) 45–50
Potassium ions, effects of, on the activity of *Torpedo marmorata* electric-organ synaptosomal and mitochondrial acetyl-coenzyme A synthetases (Morot-Gaudry, Y. & Diebler, M.-F.) 297–301
Potassium ions, uptake of adrenaline by ox adrenal-gland-medulla chromaffin-granule 'ghosts' in response to a diffusion potential produced by the addition of (Njus, D. & Radda, G. K.) 579–585
Progesterone, effects of the administration of oestradiol-17β and anti-oestrogen on the stimulation by, of the accumulation of messenger ribonucleic acid and the biosynthesis of uteroglobulin in rabbit uterus (Kopu, H. T., Hemminki, S. M., Torkkeli, T. K. & Jänne, O. A.) 491–500
Progesterone, inhibition by human choriogonadotropin β-subunit of the stimulation by lutropin of the biosynthesis of, by rat ovary *in vitro* (Dighe, R. R., Muralidhar, K. & Moudgal, N. R.) 573–578
Progesterone, regulatory role of cyclic nucleotide phosphodiesterase(s) in the turnover of intracellular adenosine 3′:5′-cyclic monophosphate and the gonadotropin-stimulated production of, in isolated rat ovary cells (Azhar, S. & Menon, K. M. J.) 201–211
Prolactin, possible role of, in the regulation of lipogenesis in rat liver and adipose tissue during lactation (Agius, L., Robinson, A. M., Girard, J. R. & Williamson, D. H.) 689–692
Prostate gland, ventral, rat, effects of the administration of α-difluoromethylornithine on the induction by testosterone of the regeneration of, and seminal vesicles after castration (Danzin, C., Jung, M. J., Claverie, N., Grove, J., Sjoerdsma, A. & Koch-Weser, J.) 507–513
Protease, *see* Proteinase
Protein A, aminoazo-dye-binding, liver, rat, binding of organic anions to egg phosphatidylcholine and its relevance to the binding of the same compounds by, and ligandin (Tipping, E., Ketterer, B. & Christodoulides, L.) 327–337
Protein A, aminoazo-dye-binding, liver, rat, binding of uncharged molecules to egg phosphatidylcholine and its relevance to the binding of the same compounds by, and ligandin (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326
Protein, biosynthesis of, in skeletal muscle from normal and dystrophic hamsters (Saleem, M. & Nicholls, D. McE.) 51–58
Protein, decreased rates of degradation of, in rat brain during postnatal development (Dahl, J. L. & Weibel, V. J.) 423–426
Protein, dietary, effects of deprivation of, on the regeneration of rat liver after partial hepatectomy (McGowan, J., Atryzek, V. & Fausto, N.) 25–35
Protein, effect of surgical trauma on the turnover of, in rat skeletal muscle (Millward, D. J.) 427–429
Protein, evidence for the involvement of lysosomes in the turnover of, in mouse peritoneal macrophages (Dean, R. T.) 339–345
Protein, extraction from rabbit reticulocyte membrane of an elongation-stage inhibitor of the biosynthesis of (Wreschner, D. H. & Herzberg, M.) 379–387
Protein, inhibition by selenodiglutathione of the biosynthesis of, by mouse-embryo 3T3-f fibroblasts and *Escherichia coli* (Vernie, L. N., Collard, J. G., Eker, A. P. M., De Wildt, A. & Wilders, I. T.) 213–218
Protein kinases, properties of, present in rat islets of Langerhans (Sugden, M. C., Ashcroft, S. J. H. & Sugden, P. H.) 219–229
Protein, oestrogen-binding, high-affinity, cytosolic, liver, cockerel, properties of (Lazier, C. B. & Haggarty, A. J.) 347–353
Proteinase, neutral, production by antigen- or mitogen-provoked rabbit spleen cells of factors that stimulate the secretion by rabbit bone-marrow macrophages of, degrading cartilage proteoglycans (Hauser, P. & Vaes, G.) 249–251
Protein–polysaccharides, *see* Proteoglycans
Proteins, adenosine diphosphate ribosylation of, in nuclei from dividing and from non-dividing but differentiating guinea-pig small-intestinal epithelial cells (Porteous, J. W., Furneaux, H. M., Pearson, C. K., Lake, C. M. & Morrison, A.) 455–463
Proteins, dexamethasone-receptor, liver, rat, heterogeneity and properties of (Liu, S.-L. H. & Webb, T. E.) 187–193
Proteoglycans, cartilage, production by antigen- or mitogen-provoked rabbit spleen cells of factors that stimulate the secretion by rabbit bone-marrow macrophages of a neutral proteinase degrading (Hauser, P. & Vaes, G.) 249–251

Proteoglycans, release of, by ox nasal-septum cartilage cultivated in the presence of human and rabbit synovium from arthritic animals and its relevance to human rheumatoid arthritis (Steinberg, J., Sledge, C. B., Noble, J. & Stirrat, C. R.) 403–412
Protohaem, differences in the proportions of protoporphyrin and, in the pigmentation of various subspecies of *Bacteroides melaninogenicus* (Shah, H. N., Bonnett, R., Mateen, B. & Williams, R. A. D.) 45–50
Protohaem ferro-lyase, role of a porphyrin-like inhibitor of, in mouse and rat liver in experimental porphyria produced by the administration of 3,5-diethoxycarbonyl-1,4-dihydrocollidine (Tephly, T. R., Gibbs, A. H. & De Matteis, F.) 241–244
Protonmotive force, evidence consistent with a proposed cycle of changes in a single fixed-charge molecule in the mitochondrial inner membrane that mediates both the uptake of calcium ions and the first step in the utilization of (Archbold, G. P. R., Farrington, C. L., Lappin, S. A., McKay, A. M. & Malpress, F. H.) 161–174
Protoporphyrin, differences in the proportions of protohaem and, in the pigmentation of various subspecies of *Bacteroides melaninogenicus* (Shah, H. N., Bonnett, R., Mateen, B. & Williams, R. A. D.) 45–50
Pseudomonas AM1, presence of two cytochromes *b* in (Keevil, C. W. & Anthony, C.) 237–239
Pseudomonas sp. N.C.I.B. 9816, metabolism of dibenzo-[1,4]furan by (Klečka, G. M. & Gibson, D. T.) 639–645
Putrescine, effects of, and other diamines on the activity of ornithine decarboxylase in control and virally transformed mouse-embryo 3T3 fibroblasts (Bethell, D. R. & Pegg, A. E.) 87–94
Putrescine, uptake of, by *Dictyostelium discoideum* A.T.C.C. 24397 (Turner, R., North, M. J. & Harwood, J. M.) 119–127
Pyruvate kinase, regulation by insulin of the activity of, in rat epididymal adipose tissue (Denton, R. M., Edgell, N. J., Bridges, B. J. & Poole, G. P.) 523–531

Quinones, lipophilic, interaction of, with fragments of membranes from *Paracoccus denitrificans* N.C.I.B. 8944 and *Staphylococcus epidermidis* (Mikeš, V. & Dadák, V.) 69–73

Red blood cells, *see* Erythrocytes
Respiration, inhibition by 3,3′-dipropylthiocarbocyanine of, and oxidative phosphorylation by turnip mitochondria (Howard, P. H., Jr. & Wilson, S. B.) 669–672
Reticulocytes, rabbit, extraction from the membrane of, of an elongation-stage inhibitor of the biosynthesis of protein (Wreschner, D. H. & Herzberg, M.) 379–387
Retinyl phosphate, subcellular distribution of the rat liver enzyme catalysing the formation of mannosyl retinyl phosphate from guanosine diphosphate mannose and (Smith, M. J., Schreiber, J. B. & Wolf, G.) 449–453
Rheumatoid arthritis, *see* Arthritis, rheumatoid
Rhodopseudomonas sphaeroides, comparison of the uptake of permeant thiocyanate ions and the spectroscopic red-band shift of carotenoids as methods for the determination of the membrane potential in chromatophores from (Ferguson, S. J., Jones, O. T. G., Kell, D. B. & Sorgato, M. C.) 75–85
Ribonucleic acid, messenger, effects of the administration of oestradiol-17β and anti-oestrogen on the stimulation by progesterone of the accumulation of, and the biosynthesis of uteroglobulin in rabbit uterus (Kopu, H. T., Hemminki, S. M., Torkkeli, T. K. & Jänne, O. A.) 491–500
Ribonucleic acid, messenger, inhibition by 3′-deoxyadenosine of the efflux of, from nuclei isolated from simian-virus-40-transformed mouse-embryo 3T3 fibroblasts (Agutter, P. S. & McCaldin, B.) 371–378
Rumen, sheep, rapid degradation of dietary choline in, and its consequent low availability for nutrition (Neill, A. R., Grime, D. W., Snoswell, A. M., Northrop, A. J., Lindsay, D. B. & Dawson, R. M. C.) 559–565

Salivary gland, blowfly, relationship between biosynthesis of phosphatidylinositol and recovery of 5-hydroxytryptamine-stimulated transport of calcium ions in (Fain, J. N. & Berridge, M. J.) 655–661
Selenodiglutathione, inhibition by, of the biosynthesis of protein by mouse-embryo 3T3-f fibroblasts and *Escherichia coli* (Vernie, L. N., Collard, J. G., Eker, A. P. M., De Wildt, A. & Wilders, I. T.) 213–218
Seminal vesicles, rat, effects of the administration of α-difluoromethylornithine on the induction by testosterone of the regeneration of, and ventral prostate gland after castration (Danzin, C., Jung, M. J., Claverie, N., Grove, J., Sjoerdsma, A. & Koch-Weser, J.) 507–513
Serotonin, *see* 5-Hydroxytryptamine
Simian virus 40, effects of diamines on the activity of ornithine decarboxylase in control mouse-embryo 3T3 fibroblasts and in the same cells after transformation by (Bethell, D. R. & Pegg, A. E.) 87–94
Skeletal muscle, *see* Muscle, skeletal
Skin fibroblasts, human, use of titration with lectins to demonstrate the alteration of molecules of lysosomal hydrolases in, from patients with I-cell disease (Rousson, R., Ben-Yoseph, Y., Fiddler, M. B. & Nadler, H. L.) 501–505
Slime mould (*Dictyostelium discoideum* A.T.C.C. 24397), uptake of putrescine by (Turner, R., North, M. J. & Harwood, J. M.) 119–127
Small intestine, *see* Intestine, small
Sorbitol, effects of administration of glucose, fructose, glycerol, ethanol and, on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of triacylglycerols in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199
Spleen cells, rabbit, antigen- or mitogen-provoked, production by, of factors that stimulate the secretion by rabbit bone-marrow macrophages of a neutral proteinase degrading cartilage proteoglycans (Hauser, P. & Vaes, G.) 249–251
Spleen, rat, endocytosis and breakdown of ^{125}I-labelled pig lactate dehydrogenase isoenzyme M_4 by, and liver *in vivo* (Sinke, J., Bouma, J. M. W., Kooistra, T. & Gruber, M.) 1–9
Staphylococcus epidermidis, interaction of lipophilic quinones with fragments of membranes from *Paracoccus denitrificans* N.C.I.B. 8944 and (Mikeš, V. & Dadák, V.) 69–73

Stearate desaturase, role of insulin in the regulation of the activity of, in liver and epididymal adipose tissue of obese–hyperglycaemic and lean mice (Enser, M.) 551–558

Steroidogenesis, corticotropin-induced, correlation of, with the concentration of receptor-bound adenosine 3′:5′-cyclic monophosphate in isolated rat adrenal-gland-cortex cells (Podesta, E. J., Milani, A., Steffen, H. & Neher, R.) 355–363

Steroidogenesis, gonadotropin-stimulated, regulatory role of cyclic nucleotide phosphodiesterase(s) in the turnover of intracellular adenosine 3′:5′-cyclic monophosphate and, in isolated rat ovary cells (Azhar, S. & Menon, K. M. J.) 201–211

Submitochondrial particles, heart, ox, reduced nicotinamide–adenine dinucleotide (phosphate)-dependent formation of superoxide ions by, and the preparation of reduced nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase (Takeshige, K. & Minakami, S.) 129–135

Supernatant fraction, *see* Cytosol

Superoxide ions, reduced nicotinamide–adenine dinucleotide (phosphate)-dependent formation of, by ox heart submitochondrial particles and the preparation of reduced nicotinamide–adenine dinucleotide–ubiquinone oxidoreductase (Takeshige, K. & Minakami, S.) 129–135

Synaptosomes, electric-organ, *Torpedo marmorata*, subcellular localization and effects of ions on the activity of acetylcoenzyme A synthetase in, and mitochondria (Morot-Gaudry, Y. & Diebler, M.-F.) 297–301

Synovium, human and rabbit, arthritic, release of proteoglycans by ox nasal-septum cartilage cultivated in the presence of, and its relevance to human rheumatoid arthritis (Steinberg, J., Sledge, C. B., Noble, J. & Stirrat, C. R.) 403–412

Taurine, transport of, by rat kidney-cortex brush-border membrane vesicles (Rozen, R., Tenenhouse, H. S. & Scriver, C. R.) 245–248

Temperature, effects of, and other factors on fluid-phase and adsorptive pinocytosis by rat peritoneal macrophages (Pratten, M. K. & Lloyd, J. B.) 567–571

Tendon cells, chick-embryo, re-examination of the subcellular fractionation of, and cartilage cells (Grant, M. E. & Jackson, D. S.) 435–436

Testosterone, binding of, and other uncharged molecules to egg phosphatidylcholine (Tipping, E., Ketterer, B. & Christodoulides, L.) 319–326

Testosterone, effects of administration of diethylstilboestrol and, on the sexual differentiation of the activity of microsomal uridine diphosphate glucuronyltransferase in rat liver during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318

Testosterone, effects of the administration of α-difluoromethylornithine on the induction by, of the regeneration of the ventral prostate gland and seminal vesicles in the rat after castration (Danzin, C., Jung, M. J., Claverie, N., Grove, J., Sjoerdsma, A. & Koch-Weser, J.) 507–513

Thiocyanate ions, permeant, comparison of the spectroscopic red-band shift of carotenoids and the uptake of, as methods for the determination of the membrane potential in *Rhodopseudomonas sphaeroides* chromatophores (Ferguson, S. J., Jones, O. T. G., Kell, D. B. & Sorgato, M. C.) 75–85

Thymidine, selective stimulation by the administration of 3,3′,5′-tri-iodothyronine of the incorporation of, into deoxyribonucleic acid in neonatal rat heart myocardial cells (Limas, C. J.) 59–67

Thyroxine, re-examination of the subcellular localization of the 5′-deiodination of, in rat liver microsomal fraction (Auf dem Brinke, D., Hesch, R.-D. & Köhrle, J.) 273–279

Torpedo marmorata, subcellular localization and effects of ions on the activity of acetyl-coenzyme A synthetase in the electric organ of (Morot-Gaudry, Y. & Diebler, M.-F.) 297–301

Trauma, surgical, effect of, on the turnover of protein in rat skeletal muscle (Millward, D. J.) 427–429

Triacylglycerols, diurnal variations in the concentrations of insulin and corticosterone in rat blood and the biosynthesis of, in liver (Knox, A. M., Sturton, R. G., Cooling, J. & Brindley, D. N.) 441–443

Triacylglycerols, effect of administration of ethynyloestradiol on the incorporation of oleate into, by perfused liver and isolated hepatocytes from female rats (Weinstein, I., Soler-Argilaga, C., Werner, H. V. & Heimberg, M.) 265–271

Triacylglycerols, effects of administration of glucose, sorbitol, fructose, glycerol and ethanol on the concentration of corticosterone in serum and its subsequent involvement in regulation of the activity of phosphatidate phosphatase and the biosynthesis of, in rat liver (Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. & Sturton, R. G.) 195–199

Triglycerides, *see* Triacylglycerols

3,3′,5′-Tri-iodothyronine, re-examination of the subcellular localization of the 5′-deiodination of thyroxine to, in rat liver microsomal fraction (Auf dem Brinke, D., Hesch, R.-D. & Köhrle, J.) 273–279

3,3′,5′-Tri-iodothyronine, selective stimulation by the administration of, of the activity of myocardial deoxyribonucleic acid polymerase-α of (Limas, C. J.) 59–67

Trypanosoma brucei, *see* Trypanosome

Trypanosome (*Trypanosoma brucei*), isolation and partial characterization of the plasma membrane from (Voorheis, H. P., Gale, J. S., Owen, M. J. & Edwards, W.) 11–24

Tunicamycin, effects of, on the incorporation of mannose and *N*-acetylglucosamine into glycoproteins by lactating rabbit mammary-gland explants (Speake, B. K. & White, D. A.) 481–489

Turnip (*Brassica napus*), effects of 3,3′-dipropylthiocarbocyanine on energy conservation by mitochondria from (Howard, P. H., Jr. & Wilson, S. B.) 669–672

Tyrosine aminotransferase, appearance of, during differentiation of rat hepatocytes isolated during perinatal development (Yeoh, G. C. T., Bennett, F. A. & Oliver, I. T.) 153–160

Tyrosine aminotransferase, induction of the activity of, in hepatocytes cultured from rat foetuses treated with dexamethasone *in utero* (Yeoh, G. C. T., Arbuckle, T. & Oliver, I. T.) 545–549

Ubiquinone, interaction of, with fragments of *Paracoccus denitrificans* N.C.I.B. 8944 membrane (Mikeš, V. & Dadák, V.) 69–73

Ubiquinone reductase, nicotinamide–adenine dinucleotide-dependent, mitochondrial, heart, ox, production of superoxide ions by (Takeshige, K. & Minakami, S.) 129–135

Uridine diphosphate glucuronyltransferase, effects of administration of testosterone and diethylstilboestrol on the sexual differentiation of the activity of, in rat liver microsomal fraction during neonatal development (Lamartiniere, C. A., Dieringer, C. S., Kita, E. & Lucier, G. W.) 313–318

Urine, human, involvement of receptors specific for galactose, mannose 6-phosphate and mannose residues in the recognition and subsequent endocytosis of α-*N*-acetylglucosaminidase from, by isolated rat hepatocytes (Ullrich, K., Basner, R., Gieselmann, V. & von Figura, K.) 413–419

Uteroglobulin, effects of the administration of oestradiol-17β and anti-oestrogen on the stimulation by progesterone of the accumulation of messenger ribonucleic acid and the biosynthesis of, in rabbit uterus (Kopu, H. T., Hemminki, S. M., Torkkeli, T. K. & Jänne, O. A.) 491–500

Uterus, rabbit, effects of the administration of oestradiol-17β and anti-oestrogen on the stimulation by progesterone of the accumulation of messenger ribonucleic acid and the biosynthesis of uteroglobulin in (Kopu, H. T., Hemminki, S. M., Torkkeli, T. K. & Jänne, O. A.) 491–500

Uterus, rat, effect of oestradiol-17β on the concentrations of total, latent and active collagenase during postpartum involution of (Woessner, J. F., Jr.) 95–102

Virus, simian, *see* Simian virus

Zea mays, *see* Maize